



Mini circuit breaker, QOU, 30A, 2 pole, 120/240VAC, 10kA

QOU230

Main

Product or component type	Miniature circuit-breaker
Range of product	QOU
Circuit breaker type	Standard
	- Carlana
Circuit breaker application	HACR rated

Complementary

[In] rated current	30 A	
Electrical connection	Slotted box lugs, line side Slotted box lugs, load side	
[Ue] rated operational voltage	120/240 V AC 120 V AC 48 V DC	
Mounting mode	Unit mount	
AWG gauge	AWG 14AWG 2 aluminum/copper	
Height	4.05 in (102.87 mm)	
Width	1.5 in (38.1 mm)	
Depth	2.95 in (74.93 mm)	
Tightening torque	45 lbf.in (5.08 N.m) AWG 14AWG 2)	

Environment

Product certifications	IEC CSA
	UL listed

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	3.60 in (9.144 cm)	
Package 1 Width	4.80 in (12.192 cm)	
Package 1 Length	2.10 in (5.334 cm)	
Package 1 Weight	12.480 oz (353.802 g)	
Unit Type of Package 2	CAR	
Number of Units in Package 2	24	
Package 2 Height	3.80 in (9.652 cm)	

Package 2 Width	13.80 in (35.052 cm)	
Package 2 Length	20.50 in (52.070 cm)	
Package 2 Weight	18.889 lb(US) (8.568 kg)	

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	19
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
SCIP Number	Af42fb01-813d-40c0-ae28-b8b3299dbc99
REACh Regulation	REACh Declaration
Halogen content performance	Halogen free product

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

Technical Illustration

Dimensions

